



Sexually Transmitted Diseases Reported Cases in the State of Idaho October - December, 2000

District	Chlamydia	Gonorrhea	Syphilis	TOTAL
1	61	4	0	65
2	22	1	0	23
3	80	13	0	93
4	217	8	1	226
5	54	2	0	56
6	45	5	0	50
7	47	1	0	48
Total	526	34	1	561





Idaho District Health Departments

District 1	Coeur d'Alene	667-3481
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Idaho Cumulative HIV/AIDS December 31, 2000

District	AIDS	AIDS Deaths	Living with AIDS	HIV+*	HIV+ Deaths	Living with HIV	HIV+ Prevalence**
1	76	42	34	64	9	55	89
2	18	8	10	41	9	32	42
3	61	25	36	76	8	68	104
4	224	117	107	254	42	212	319
5	44	23	21	59	7	52	73
6	56	35	21	50	10	40	61
7	34	20	14	41	7	34	48
TOTAL	513	270	243	585	92	493	736

Cumulative statistics from April 1986 when HIV became a reportable disease by Idaho Code #39-602.

* **HIV (+)** - Total number of HIV seropositive individuals excluding Idaho AIDS cases.

** **Prevalence** - Total number of living HIV seropositive individuals (including AIDS).

Cumulative Reported HIV and AIDS Cases						
Category	Idaho HIV+ 12/31/00		Idaho AIDS 12/31/00		United States AIDS 6/30/00	
Sex						
Male	483	(83%)	455	(89%)	624,714	(83%)
Female	98	(17%)	58	(11%)	129,190	(17%)
<i>Total</i>	<u>585</u>	<u>(100%)</u>	<u>513</u>	<u>(100%)</u>	<u>753,907</u>	<u>(100%)</u>
Age						
Adults/adolescents (≥13 years)	575	(98%)	511	(99%)	745,103	(99%)
Children (<13 years)	10	(2%)	2	(1%)	8,804	(1%)
<i>Total</i>	<u>585</u>	<u>(100%)</u>	<u>513</u>	<u>(100%)</u>	<u>753,907</u>	<u>(100%)</u>
Race/Ethnicity						
White	487	(83%)	451	(88%)	324,822	(43%)
Black	22	(5%)	10	(2%)	282,720	(38%)
Hispanic	55	(9%)	44	(8%)	137,575	(18%)
American Indian/Alaskan	8	(1%)	6	(1%)	2,234	(<1%)
Other & unknown	13	(2%)	2	(1%)	5,546	(<1%)
<i>Total</i>	<u>585</u>	<u>(100%)</u>	<u>513</u>	<u>(100%)</u>	<u>753,907</u>	<u>(100%)</u>
Risk Factor - Adults						
Men who have sex with men	254	(44%)	295	(59%)	348,657	(47%)
Injecting drug use	96	(17%)	55	(10%)	189,242	(25%)
Men sex men & inject drugs	45	(8%)	38	(7%)	47,820	(6%)
Hemophilia/coagulation disorder	7	(1%)	17	(3%)	5,121	(1%)
Heterosexual contact	62	(10%)	68	(13%)	78,210	(10%)
Receipt of blood, components, or tissue	9	(2%)	14	(3%)	8,666	(1%)
Other/risk not reported or identified	102	(18%)	24	(5%)	67,387	(9%)
<i>Total</i>	<u>575</u>	<u>(100%)</u>	<u>511</u>	<u>(100%)</u>	<u>745,103</u>	<u>(100%)</u>
Risk Factor - Children						
Hemophilia/coagulation disorder	0	(0%)	0	(0%)	236	(3%)
Mother with/at risk for HIV infection	10	(100%)	0	(0%)	8,027	(91%)
Receipt of blood, components, or tissue	0	(0%)	2	(100%)	381	(4%)
Other/risk not reported or identified	0	(0%)	0	(0%)	160	(2%)
<i>Total</i>	<u>10</u>	<u>(100%)</u>	<u>2</u>	<u>(100%)</u>	<u>8,804</u>	<u>(100%)</u>
Rate (cumulative) per 100,000 residents	58.1		51.0		280.2	

Idaho AIDS Cases by Age		
Age	All Cases	Percent
Under 5	1	<1%
5-12	1	<1%
13-19	3	<1%
20-29	78	15%
30-39	238	46%
40-49	133	26%
Over 49	59	12%
TOTAL	513	100%

Reports of HIV positive and AIDS cases should be made to the STD/AIDS Program as required by Idaho Code 39-602. Please call the STD/AIDS Program, (208) 334-6527.

Idaho HIV Positive by age at time of testing (cumulative)		
Age	Cases	Percent
Under 5	8	1%
5-12	2	<1%
13-19	14	2%
20-24	96	16%
25-29	126	22%
30-39	228	39%
40-49	78	13%
50-59	19	3%
Over 59	4	<1%
Unknown	10	2%
TOTAL	585	100%

Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States Department of Health and Human Services. *Idaho STD/AIDS Response* is posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at haumanna@idhw.state.id.us.